

CORRECTION

Open Access



Correction to: Predictive validity of a novel non-invasive estimation of effective shunt fraction in critically ill patients

Emma M. Chang^{1†}, Andrew Bretherick^{1,2†}, Gordon B. Drummond¹ and J. Kenneth Baillie^{1,3*}

The original article can be found online at <https://doi.org/10.1186/s40635-019-0262-1>.

* Correspondence: j.k.baillie@ed.ac.uk

The original article can be found online at <https://doi.org/10.1186/s40635-019-0262-1>

[†]Emma M. Chang and Andrew Bretherick contributed equally to this work.

¹Anaesthesia, Critical Care and Pain Medicine, Royal Infirmary of Edinburgh, Edinburgh EH16 4SA, UK

³The Roslin Institute and Royal (Dick) School of Veterinary Studies, University of Edinburgh, Easter Bush, Edinburgh EH25 9RG, UK
Full list of author information is available at the end of the article

Correction to: ICMx 7, 49 (2019)

<https://doi.org/10.1186/s40635-019-0262-1>

Following publication of the original article [1], the authors reported an error in Eq. 2 of the article; the article is missing brackets.

Please find the correct version (with the brackets added) of the equation in this correction.

The authors apologize for any inconvenience caused.

$$\frac{Q_S}{Q_T} = \frac{C_c'O_2 - C_aO_2}{C_c'O_2 - \left(C_aO_2 - \frac{VO_2}{Q} \right)}$$

Author details

¹Anaesthesia, Critical Care and Pain Medicine, Royal Infirmary of Edinburgh, Edinburgh EH16 4SA, UK. ²MRC Institute of Genetics and Molecular Medicine, The University of Edinburgh, Edinburgh EH4 2XU, UK. ³The Roslin Institute and Royal (Dick) School of Veterinary Studies, University of Edinburgh, Easter Bush, Edinburgh EH25 9RG, UK.

Published online: 10 July 2020

Reference

1. Chang EM, Bretherick A, Drummond GB et al (2019) Predictive validity of a novel non-invasive estimation of effective shunt fraction in critically ill patients. *ICMx* 7:49 <https://doi.org/10.1186/s40635-019-0262-1>